

UH-LINE SERIES


The "UH" Series is designed for ultra-vacuum systems.

SPECIAL FEATURES INCLUDE:


- · Finger-tight assembly (with knurled nut)
- · Easy removal, easy repositioning in a system
- Helium leak tested to 4X10-9 ATM.cc/sec
- Maximum temperature: 242°C
- Available factory assembly for many HAM-LET Valves:
 Ball Valve, Needle Valve, Diaphragm Valve, Filter, Check Valve
- All metal parts are 316 Stainless Steel, O-ring Fluorocarbon FKM
- Full range of sizes from 1/4" to 1"




768 UH Male




762 UH Union




763 UH Reducing Union




763 LUHLet-Lok® to UH Line




764 UH Union Tee




765 UH Union Elbow



767 UHUH Line to Tube Adapter



ORDERING INFORMATION



- * Available bored through. Add "TC" to the Cat. No.
- * Parts can be assembled and packed in a cleanroom class 100, if specified.
- * Only items priced in UCT Fluid Solutions up-to-date price list are standard.
- * Price and delivery of non-stocked items provided on request.



This document is proprietary to UCT and may not be copied, duplicated or used without the permission of UCT. UCT reserves the right to make changes to any portion of this document at any time without notice. The information furnished by UCT in this document is believed to be accurate and reliable. However, UCT assumes no responsibility for its use or for errors or omissions. All trademarks, models, names and logos in this catalogue are subject to the rights of UCT unless indicated otherwise.

Ultra Vacuum System Connectors Uh-Line | June 2023